



IN THE CLAIMS:

1. (Currently amended) An organic electroluminescent device material, capable of emitting blue light, comprising an aromatic amine derivative represented by any of the following formulas (I) and (II):



wherein each of A<sub>1</sub> to A<sub>8</sub> represents a hydrogen atom, a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted aryl group having 5 to 50 ring carbon atoms, a substituted or unsubstituted cycloalkyl group having 3 to 50 ring carbon atoms, a

substituted or unsubstituted alkoxy group having 1 to 50 carbon atoms, a substituted or unsubstituted aryloxy group having 5 to 50 ring carbon atoms, a substituted or unsubstituted arylamino group having 5 to 50 ring carbon atoms, a substituted or unsubstituted alkylamino group having 1 to 20 carbon atoms, or a halogen atom; m<sub>1</sub> is an integer of 0 to 5, m<sub>2</sub> is an integer of 0 to 5, m<sub>3</sub> is an integer of 0 to 5, m<sub>4</sub> is an integer of 0 to 5, m<sub>5</sub> is an integer of 0 to 5, m<sub>6</sub> is an integer of 0 to 5, m<sub>7</sub> is an integer of 0 to 5, m<sub>8</sub> is an integer of 0 to 5, wherein at least one of m<sub>1</sub>, m<sub>2</sub>, m<sub>3</sub>, and m<sub>4</sub> is 1 or greater, and at least one of m<sub>5</sub>, m<sub>6</sub>, m<sub>7</sub>, and m<sub>8</sub> is 1 or greater, and wherein when any of m<sub>1</sub>, m<sub>2</sub>, m<sub>3</sub>, m<sub>4</sub>, m<sub>5</sub>, m<sub>6</sub>, m<sub>7</sub>, and m<sub>8</sub> is 2 or greater, groups represented by any of A<sub>1</sub> to A<sub>8</sub> may be identical to or different from one another, or may be linked together to form a saturated or unsaturated ring; each pair of A<sub>1</sub> and A<sub>2</sub>, A<sub>3</sub> and A<sub>4</sub>, A<sub>5</sub> and A<sub>6</sub>, and A<sub>7</sub> and A<sub>8</sub> is such that the members thereof may be linked together to form a saturated or unsaturated ring;

with the proviso that in formula (I), at least one of A<sub>1</sub> to A<sub>4</sub> does not represent a hydrogen atom, that in formula (II), at least one of A<sub>5</sub> to A<sub>8</sub> does not represent a hydrogen atom;

wherein each of R<sub>1</sub> to R<sub>20</sub> represents a hydrogen atom, a substituted or unsubstituted alkyl group having 1 to 20 carbon atoms, a substituted or unsubstituted aryl group having 6 to 20 ring carbon atoms, or a cyano group; and

wherein each of X<sub>1</sub> and X<sub>2</sub> represents a substituted or unsubstituted arylene group having 6 to 20 ring carbon atoms.

2. (Original) An organic electroluminescent device material as described in claim 1, which is a light-emitting material for use in an organic electroluminescent device.

3. (Original) An organic electroluminescent device comprising a cathode, an anode, and one or more organic thin-film layers interposed between the cathode and the anode, the organic thin-layers including at least a light-emitting layer, wherein at least one of the organic thin-film layers contains the organic electroluminescent device material as recited in claim 1 in the form of single component material or a mixture of a plurality of components.


4. (Original) An organic electroluminescent device comprising a cathode, an anode, and one or more organic thin-film layers interposed between the cathode and the anode, the organic thin-layers including at least a light-emitting layer, wherein the light-emitting layer contains the organic electroluminescent device material as recited in claim 1 in an amount of 0.1 to 20 wt.%.

5. (Original) An organic electroluminescent device as described in claim 3, which further includes a layer containing an aromatic tertiary amine derivative and/or a phthalocyanine derivative, the layer being provided between the light-emitting layer and the anode.


6. (Original) An organic electroluminescent device as described in claim 4, which further includes a layer containing an aromatic tertiary amine derivative and/or a phthalocyanine derivative, the layer being provided between the light-emitting layer and the anode.

7. (Previously Presented) An organic electroluminescent device as described in claim 1, which emits blue light.


8. (New) An organic electroluminescent device as described in claim 1, wherein the aromatic amine derivative comprises at least one compound selected from the group consisting of compounds:




(1),




(2),




(3),




(5),




(6),




(7),




(8),




(9),




(10),




(11),




(12),




(14),




(15),




(16),



(17),



(18), and



(19).